

主なゴルフクラブの長さ換算表

発売年	モデル	アイテム	シャフト	Flex	番手 ロフト	プリヂストンゴルフ クラブ長さ	60°法 クラブ長さ	
2022年	221CB	IRON	N.S.PRO MODUS ³ TOUR105	S	#4	特注	特注	
					#5	38	38.35	
					#6	37.5	37.85	
					#7	37	37.35	
					#8	36.5	36.85	
					#9	36	36.35	
			PW	35.5	35.85			
			N.S.PRO MODUS ³ TOUR120	S	#4	特注	特注	
					#5	37.75	38.1	
					#6	37.25	37.6	
					#7	36.75	37.1	
					#8	36.25	36.6	
	#9	35.75			36.1			
	PW	35.25	35.6					
	222CB+	IRON	N.S.PRO 950GH neo	S	#4	特注	特注	
					#5	38	38.35	
					#6	37.5	37.85	
					#7	37	37.35	
					#8	36.5	36.85	
					#9	36	36.35	
			PW	35.5	35.85			
			MCI B70	S	#4	特注	特注	
					#5	38.25	38.6	
					#6	37.75	38.1	
					#7	37.25	37.6	
					#8	36.75	37.1	
	#9	36.25			36.6			
	PW	35.75	36.1					
	BRM2	WEDGE	N.S.PRO MODUS ³ TOUR120	S	48-F8	特注	特注	
					50-F10	35.25	35.6	
					52-M8	35.25	35.6	
					54-M10	特注	特注	
					56-M8	特注	特注	
					56-A10	35	35.35	
					58-M8	35	35.35	
					58-A12	35	35.35	
N.S.PRO MODUS ³ TOUR105					S	48-F8	35.5	35.85
						50-F10	35.5	35.85
						52-M8	35.5	35.85
						54-M10	特注	特注
			56-M8	特注		特注		
			56-A10	35.25		35.6		
58-M8			特注	特注				
58-A12			35.25	35.6				
N.S.PRO 950GH neo			S	48-F8	特注	特注		
				50-F10	35.5	35.85		
				52-M8	35.5	35.85		
				54-M10	特注	特注		
				56-M8	特注	特注		
				56-A10	35.25	35.6		
58-M8			特注	特注				
58-A12			35.25	35.6				

2023年	B1ST	DRIVER	VENTUS BS6	S	9.5/10.5	45.25	45.5
			TENSEI Pro Blue 1K 60		9.5/10.5	45.25	45.5
			SPEEDER NX BLACK 60		9.5/10.5	45.25	45.5
		FAIRWAY WOOD	VENTUS BS6	S	3W	43	43.25
					5W	42.5	42.75
			TENSEI Pro Blue 1K 60	S	3W	43	43.25
					5W	42.5	42.75
			SPEEDER NX BLACK 60	S	3W	43	43.25
					5W	42.5	42.75
		HY	VENTUS BS6h	S	H2	40.25	40.5
	H3				39.75	40	
	H4				39.25	39.5	
	B2HT	DRIVER	VANQUISH BS50	S	9.5/10.5	45.25	45.5
				SR	9.5/10.5	45.25	45.5
				R	9.5/10.5	45.25	45.5
			SPEEDER NX BS40w	※R相当	9.5/10.5	45.5	45.75
			TENSEI Pro Blue 1K 50	S	9.5/10.5	45.25	45.5
			SPEEDER NX BLACK 50	S	9.5/10.5	45.25	45.5
			FAIRWAY WOOD	VANQUISH BS50	S	3W	43
		5W				42.5	42.75
		7W				特注	特注
		SR			3W	43	43.25
					5W	42.5	42.75
					7W	特注	特注
		R		3W	43	43.25	
				5W	42.5	42.75	
				7W	42	42.25	
		SPEEDER NX BS40w		※R相当	3W	43.25	43.5
					5W	42.75	43
					7W	42.25	42.5
		TENSEI Pro Blue 1K 50		S	3W	43	43.25
					5W	42.5	42.75
					7W	特注	特注
		SPEEDER NX BLACK 50	S	3W	43	43.25	
				5W	42.5	42.75	
				7W	特注	特注	
		HY	VANQUISH BS50h	S	H3	40.25	40.5
					H4	39.5	39.75
					H5	38.75	39
				SR	H3	40.25	40.5
					H4	39.5	39.75
					H5	38.75	39
			R	H3	40.25	40.5	
				H4	39.5	39.75	
				H5	38.75	39	
			SPEEDER NX BS40h	※R相当	H3	特注	特注
					H4	39.75	40
H5					39	39.25	
H6					38.25	38.5	
N.S.PRO 850GH neo			S	H3	40	40.25	
				H4	39.25	39.5	
		H5		38.5	38.75		
		H6		特注	特注		

2023年	B2HT LH	DRIVER	VANQUISH BS50	S	9.5/10.5	45.25	45.5		
				SR	9.5	45.25	45.5		
				R	9.5	45.25	45.5		
		FAIRWAY WOOD	VANQUISH BS50	S	3W	43	43.25		
					5W	42.5	42.75		
				SR	3W	43	43.25		
					5W	42.5	42.75		
				R	3W	43	43.25		
					5W	42.5	42.75		
		HY	VANQUISH BS50h	S	H3	40.25	40.5		
					H4	39.5	39.75		
				SR	H3	40.25	40.5		
					H4	39.5	39.75		
				R	H3	40.25	40.5		
					H4	39.5	39.75		
	233 HF	IRON	VANQUISH BS50i	S	#5	38.25	38.6		
					#6	37.75	38.1		
					#7	37.25	37.6		
					#8	36.75	37.1		
					#9	36.25	36.6		
				PW	35.75	36.1			
				R	#5	38.25	38.6		
					#6	37.75	38.1		
					#7	37.25	37.6		
					#8	36.75	37.1		
			#9		36.25	36.6			
			PW	35.75	36.1				
			SPEEDER NX BS40i	※R相当	#5	38.5	38.85		
					#6	38	38.35		
					#7	37.5	37.85		
					#8	37	37.35		
					#9	36.5	36.85		
					PW	36	36.35		
			N.S.PRO 850GH neo	S	#5	38	38.35		
					#6	37.5	37.85		
					#7	37	37.35		
					#8	36.5	36.85		
					#9	36	36.35		
			PW	35.5	35.85				
			BRM2 HF	WEDGE	N.S.PRO MODUS ³ TOUR105	S	48/8	35.5	35.85
							50/10	35.5	35.85
							52/10	35.5	35.85
56/12	35.25	35.6							
58/10	35.25	35.6							
N.S.PRO 850GH neo	S	48/8			35.5	35.85			
		50/10			35.5	35.85			
		52/10			35.5	35.85			
		56/12			35.25	35.6			
		58/10			35.25	35.6			
VANQUISH BS50i	S	48/8			35.75	36.1			
		50/10			35.75	36.1			
		52/10			35.75	36.1			
		56/12			35.5	35.85			
		58/10			35.5	35.85			

2024年	B3MAX	DRIVER	VANQUISH BS40 for MAX	S	9.5/10.5	45.5	45.75
				SR	9.5/10.5	45.5	45.75
				R	9.5/10.5	45.5	45.75
	B3MAXD	DRIVER	VANQUISH BS40 for MAX	S	10.5	45.5	45.75
				SR	10.5	45.5	45.75
				R	10.5	45.5	45.75
	B3MAX	FAIRWAY WOOD	VANQUISH BS40 for MAX	S	3W	43.25	43.5
					5W	42.75	43
					7W	42.25	42.5
				SR	3W	43.25	43.5
					5W	42.75	43
					7W	42.25	42.5
				R	3W	特注	特注
					5W	42.75	43
					7W	42.25	42.5
	B3MAX	HY	VANQUISH BSh for MAX	S	H4	40	40.25
					H5	39.5	39.75
					H6	39	39.25
				R	H4	40	40.25
					H5	39.5	39.75
					H6	39	39.25
	245MAX	IRON	VANQUISH BSi for MAX	S	6	38	38.35
					7	37.5	37.85
					8	37	37.35
					9	36.5	36.85
					P1	36.25	36.6
					P2	36	36.35
					AW	35.75	36.1
				R	SW	35.5	35.85
					6	38	38.35
7					37.5	37.85	
8					37	37.35	
9					36.5	36.85	
P1					36.25	36.6	
P2					36	36.35	
AW	35.75	36.1					
SW	35.5	35.85					

2024年	B-LD	DRIVER	SPEEDER NX BS40LDw	L	11.5	特注	特注		
					13.5	43.5	43.75		
				A	11.5	44.25	44.5		
					13.5	特注	特注		
				FAIRWAY WOOD	SPEEDER NX BS40LDw	L	3W	42	42.25
							4W	41.5	41.75
		5W	41				41.25		
		7W	40.5				40.75		
		A	3W			42.5	42.75		
			4W			42	42.25		
		HY	SPEEDER NX BS40LDh	L	5W	41.5	41.75		
					7W	特注	特注		
					H4	38.5	38.75		
				A	H5	37.75	38		
					H6	37	37.25		
					H4	38.75	39		
		IRON	SPEEDER NX BS40LDi	L	H5	38	38.25		
					H6	特注	特注		
					I6	特注	特注		
					I7	36.25	36.6		
					I8	35.75	36.1		
					I9	35.25	35.6		
				A	PW	34.75	35.1		
					AW	34.75	35.1		
					SW	34.5	34.85		
					I6	特注	特注		
					I7	36.5	36.85		
					I8	36	36.35		
		A	I9	35.5	35.85				
			PW	35	35.35				
AW	35		35.35						
SW	34.75		35.1						

セットモデル	BG-100	DRIVER	Diamana for BG-100w	S	9.5	45.25	45.5	
				R	10.5	45.25	45.5	
		FAIRWAY WOOD	Diamana for BG-100w	S	5W	42.5	42.75	
				R		42.5	42.75	
		UT	Diamana for BG-100u	S	U4	39.5	39.75	
				R		39.5	39.75	
		IRON	N.S.PRO 955GH	S	I6	37.75	38.1	
				S	I7	37.25	37.6	
				S	I8	36.75	37.1	
				S	I9	36.25	36.6	
				S	PW	35.75	36.1	
				S	AW	35.5	35.85	
				S	SW	35.25	35.6	
				Diamana for BG-100i	S	I6	38	38.35
					S	I7	37.5	37.85
					S	I8	37	37.35
					S	I9	36.5	36.85
					S	PW	36	36.35
	S				AW	35.75	36.1	
	S				SW	35.5	35.85	
	BG-100L	DRIVER	BG-100Lw	L	13.5	43.5	43.75	
		FAIRWAY WOOD	BG-100Lw	L	5W	41	41.25	
		UT	BG-100Li	L	U6	37	37.25	
		IRON	BG-100Li	L	#7	35.5	35.85	
				L	#9	35	35.35	
				L	PW	34.5	34.85	
				L	SW	34	34.35	